



ANALIZA BIAŁEK



100008282

Laboratory of Analysis

Client: Camo Chem
Order number: 100008282
Name: AC262
Number of samples: 1 vial

Batch number: -----
Receive date: 2025-05-27
Start date: 2025-05-30
Enda date: 2025-06-04

Sample identification

Substance	Method of taking a sample	Form
AC-262-536	Sample provided by customer	White powder in a glass vial

Results

Substance	Sample name	Content	Purity
AC-262-536	AC262	-----	98%

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its purity, when compared to the reference chromatogram, is 98%. Height the measurement error is + - 1%. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

U63NP9F8


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

U63NP9F8