



ANALIZA BIAŁEK



100007128

Laboratory of Analysis

Client: Camo Chem
Order number: 100007128
Name: NOT MARKED
Number of samples: 1 vial

Batch number: -----
Receive date: 2025-02-21
Start date: 2025-03-04
Enda date: 2025-03-06

Sample identification

Substance	Method of taking a sample	Form
RAD-140	Sample provided by customer	White powder in a glass vial


Results

Substance	Sample name	Content	Purity
RAD-140	NOT MARKED	-----	98%

Research comment

The test sample was applied in the amount of 2 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peak of the sought substance appeared. Its purity, when compared to the reference chromatogram, is 98%. Height the measurement error is + - 1%. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

7N28DSU3


Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc



Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

7N28DSU3